



Advanced Cover Cropping Tips from a Great Plains Perspective

Keith Berns

Green Cover Seed

Bladen, NE

keith@greencoverseed.com

Farming Background



Farming Background

- **No-tilling for 25+ years**
- **2/3 dryland 1/3 irrigated**
- **Corn – Beans – Cereal rotation**
- **Added rye, triticale, oats, barley, vetch, sunflowers, buckwheat**



Farming Background

- Cover crops for 8 years
- Green Cover Seed started in 2009
- 6,000 customers in all 50 states



“As to methods there may be a million and then some, but principles are few. The man who grasps principles can successfully select his own methods. The man who tries methods, ignoring principles, is sure to have trouble.”

Ralph Waldo Emerson

Basic Understandings



- **Cover Crops are unlikely to work well if they are squeezed into an already existing system or rotation without making other changes to the system.**
- **A highly managed Systems Approach to cover crops and soil health is crucial to success in both the short term and the long term.**

Cover Crops Are Easy

- **Planted in July and August after cereal (wheat) or pea harvest**
- **Lots of choices of species that work well**
- **Lots of time to grow**
- **Lots of biomass above and below the ground**
- **Lots of benefits**



Challenge : Short Planting Window in Corn-Bean Rotation



- **Corn-Bean rotation does not always lend itself to cover crop establishment due to limited planting and growing windows in both fall and spring**

Short Planting Window in Corn-Bean Rotation

- **New Cover Crop!**
- **Plant as late as you want!**
- **Overwinters great but it is not a challenge to control in the spring**
- **Fixes N-P-K and whatever else you need**
- **Will grow tons of biomass but not be hard to plant into**
- **Fixes compaction, pH and salinity**
- **Very inexpensive**



Jack's Magic Beans!



Jack was convinced that the beans were indeed magical! He also believed the stranger would provide a good home for Buttercup.

Open the Window As Much As Possible

- Plant shorter season varieties – especially soybeans
- Plant “cover crop fields” first
- “Relay” seeding with airplane prior to harvest
 - Hit and Miss – especially with dryland/low rainfall
 - Timing is critical
 - Too early and can die from lack of sunlight
 - Too late and growth will be limited



Open the Window As Much As Possible

- Use most cold tolerant species possible for your area
 - Cereal rye: can be seeded almost anytime (we planted some mid-Dec)
 - Annual ryegrass: seeded by Sept 25th for best results
 - Oats: seeded by Sept 15th
 - Radish: seeded by Sept 25th
 - Rapeseed/canola: seeded by Oct 25th



Open the Window As Much As Possible

- Use most cold tolerant species possible for your area
 - Hairy vetch: seeded by Oct 25th
 - Winter peas: hit and miss Plant deep and timing like wheat for best overwintering
 - Winter lentils: some areas better than others
 - Crimson clover: Works decent further south (I70) – not winter hardy consistently
 - Balansa clover – more cold tolerant annual clover that shows some promise for more northern areas





Balansa Clover

10/1/15 – 4/1/16



Balansa Clover

10/1/15 – 5/11/16



Austrian Winter Peas 10/1/15 – 5/11/16



Crimson Clovers

10/1/15 – 5/11/16




Hairy Vetch 10/1/15 – 5/11/16

Hairy Vetch 10/25/16 – 6/7/17



A photograph showing a dense field of Morton Winter Lentils. The plants are a vibrant green color and appear to be in full growth. The ground is covered with the plants, with some bare soil visible in the background. The lighting is bright, suggesting a sunny day.

Morton Winter Lentils 10/1/15 – 5/11/16

A photograph of a field of winter oats. The plants are green and growing in distinct rows. The field is densely packed with these plants. In the bottom right corner, there is a semi-transparent grey box containing text.

Bob Winter Oats
10/1/15 – 5/11/15

A close-up photograph of a dense field of Annual Ryegrass. The grass is vibrant green and appears to be blowing in the wind, creating a sense of movement. The blades are long and narrow, typical of the species.

Annual Ryegrass
10/1/15 – 5/11/15

Open the Window As Much As Possible

- Winter Barley
 - Less alleopathic
 - Less risk of nutrient tie-up
 - Less risk of it “getting away”
 - Not as good of weed control
 - Not as winter hardy
 - New varieties coming




A photograph of a lush green field of winter crops, specifically winter barley and triticale. The plants are tall and dense, with long, narrow leaves and developing seed heads. The field is divided into sections, suggesting a comparison or different varieties. The background shows a reddish-brown soil or field edge. A semi-transparent text box is overlaid at the bottom of the image.

919 Winter Barley and Triticale
10/1/15 – 5/11/15

Open the Window As Much As Possible

- Use Elbon cereal rye instead of northern rye varieties
 - Bred in Oklahoma so it has a short dormancy period
 - Grows longer in fall and earlier in the spring than northern rye
 - Still very winter hardy
 - Generally smaller seed size also 22 – 24K



A wide-angle photograph of a lush green rye field. The plants are tall and dense, filling the foreground and middle ground. In the background, a line of trees is visible against a grey, overcast sky. The overall scene is a rural agricultural landscape.

Elbon Rye 10/1 – 5/11

VNS Northern Rye 10/1 – 5/11




Elbon Rye vs Triticale

10/1/15 – 5/11/15

Open the Window As Much As Possible

- Let covers grow into the spring as long as possible
- Easier with beans than it is with corn
- Increased **Risk** on dry land
- Nutrient management becomes much more important with corn
- More of an “organic” mind set





Sprayed 4/1/16

Sprayed 4/30/16

Picture taken 5/4/16

Rye/Trit/Oat/Barley Blend 10/1/15

An aerial photograph of a field showing sparse, dry-looking vegetation and dark soil. The vegetation consists of thin, brownish stalks scattered across the ground. The soil is a dark, rich brown color. The overall appearance is that of a field that has been recently sprayed or treated, with the vegetation appearing somewhat dead or dormant.

Sprayed 4/1/16

Picture taken 5/7/16

Rye/Trit/Oat/Barley Blend 10/1/15



Sprayed 4/1/16

Picture taken 5/7/16

Rye/Trit/Oat/Barley Blend 10/1/15



Sprayed 5/7/12

Sprayed 4/10/12

Irrigated corn planted April 20 into cover crop rye
picture taken 5/11/12



Sprayed 4/10/12

Irrigated corn planted April 20 into cover crop rye
picture taken 5/11/12



Sprayed 5/7/12

Irrigated corn planted April 20 into cover crop rye
picture taken 5/11/12



Sprayed 4/10/12

Sprayed 5/7/12

Irrigated corn planted April 20 into cover crop rye
picture taken 6/1/12



Sprayed 4/10/12

Irrigated corn planted April 20 into cover crop rye
picture taken 6/1/12



Sprayed 5/7/12

Irrigated corn planted April 20 into cover crop rye
picture taken 6/1/12



Sprayed 4/10/12

Irrigated corn planted April 20 into cover crop rye
picture taken 8/13/12




Sprayed 5/7/12

Irrigated corn planted April 20 into cover crop rye
picture taken 8/13/12

Control of Resistant Weeds

Product Adoption Curve





Irrigated corn planted into cover crop rye. pic taken 5/11/12

Cereal rye

- **Contains benzoxazinone**
- **Very high nitrogen uptake and very slow nitrogen release**

Cover Crop Impact on Following Spring Rotation to Soybeans





**Spring Planted Oat Based Mix
Fallow Ground - Tribune, KS**



Elbon Rye planted 9/20/15 Grazed early spring
Soybeans drilled May 20th



Elbon Rye planted 9/20/15 Grazed early spring
Soybeans drilled May 20th

A photograph of a field of Elbon Rye grass. The grass is tall and green, with some yellowing at the base. A path or track runs through the center of the field, leading towards the horizon. The sky is clear and blue.

Elbon Rye planted 9/20/15 Not grazed
Soybeans drilled May 20th



Elbon Rye planted 9/20/15 Not grazed
Soybeans drilled May 20th





Elbon Rye planted 9/20/15 Not grazed
Soybeans drilled May 20th Picture from 8/17



Elbon Rye planted 9/20/15 Not grazed
Soybeans drilled May 20th Picture from 8/17



Same field – end rows









Planter attachment to roll cereal rye when planting corn or beans - DawnBiologic



Planter attachment to roll cereal rye when planting corn or beans - DawnBiologic



Open the Window As Much As Possible

- Spring planted covers may be an option if fall planted did not happen
 - Oats, peas, lentils, chickling vetch, rapeseed
 - Plant when soil temps hit 40
 - Herbicide option: spray out oats with Select ahead of corn and allow legumes to keep growing – spray out legumes with a post spray.....



Open the Window As Much As Possible

- Interseeding or companion cropping into corn
- Biggest Challenges/Hurdles
 - RMA
 - Weed Control Issues
 - Nodulation of legumes
 - Lack of adequate sunlight



V4-V6 InterSeeding of Annual Ryegrass, Cereal Rye, Crimson Clover or Hairy Vetch



- **Benefits**

- Relatively easy way to seed cover crop –
- Plants can germinate and grow 4-6” and then go dormant when canopy closes
- As corn dries down and canopy opens up, plants begin to grow again with cooler weather and sunlight
- Better trafficability for fall harvest equipment
- Can help with residue issues of corn on corn


V4-V6 InterSeeding of Annual Ryegrass, Cereal Rye, Crimson Clover or Hairy Vetch



- Challenges
 - Weed control
 - Glyphosate burndown, post with broadleaf herbicides
 - BASF Verdict (16 oz/acre) working in Canada – applied preplant or pre-emerge
 - May disqualify for crop insurance programs
 - May fail in very dry years or when weather does not promote dormancy
 - Probably better fit further north....



Figure 1. Impact of interseeding different species at V6 on corn grain yields at Rock Springs in 2013.




2013 Ryegrass at Corn Harvest in Rock Springs



V6-V8 Interseed into Corn North of Grand Island, NE

<i>Annual rye grass</i>	14%
<i>Elbon Cereal rye</i>	57%
<i>Crimson clover</i>	11%
<i>Mung beans</i>	17%


















**The real problem on most farms
is Lack of Crop Diversity**

Corn – Beans
Corn - Corn



There Is Great Power In Diversity!

- Natural systems have huge diversity
- Most of our cropping systems do not
- Cover crops should have as much diversity as practical



**Weeds and diseases are
nature's way of adding
diversity to a system
which lacks diversity.**



Dr. Dwayne Beck

Nature's efforts to add diversity can be countered by adding beneficial diversity to the system.

Dr. Dwayne Beck



**Most farmers will find it
difficult to get enough
diversity in their “cash crop”
rotation....**

Corn, Corn, Corn

Corn, Beans

Corn, Beans, Wheat

_____, _____, _____



Base Rotation

Corn

**Fall
Cover
Crop**

**Beans
Peas
Vetch**

**Rye
Trit
Barley**

**Summer
Cover
Or**

**Cereal
Rye,
Hairy
Vetch,
Rapese
ed**

**Oats
Wheat**

**Double
Crop of
Sunflower
or
Buckwheat**



So one of the best ways to introduce more diversity is through cover crop mixes....

Cover Crops are the perfect opportunity to have great plant diversity (above ground and below ground) without needing specialized equipment, knowledge, or markets.



Double Crop Sunflowers with Cover Companions

Goal: Cash Crop, Soil Health, Grazing, Erosion Prevention

Timing: Immediately after Cereal Harvest Late June – Late July

Species: Hybrid Sunflowers (20-30K), mung beans, chick peas, vetch, lentils, crimson clover, peas, mustard, cabbage, buckwheat, flax

Cost: Flowers: \$1 per 1,000 seeds

Covers: \$15 - \$25/acre

Concerns: Growing season length, adequate moisture in dryland, marketing





CROP DIVERSITY DRIVES SOIL BIOLOGY DIVERSITY



SOIL BIOLOGY DIVERSITY DRIVES THE SYSTEM



WE NOT ONLY HAVE PLANT DIVERSITY.....WE ALSO HAVE INSECT










A Tale Of Two Fields



A Tale Of Two Fields




A Tale Of Two Fields



A Tale Of Two Fields





A Tale Of Two Fields



A Tale Of Two Fields



A Tale Of Two Fields



A Tale Of Two Fields



A Tale Of Two Fields

