

Chart 4A POTENTIAL ADVANTAGES

Species	Soil Impact			Soil Ecology				Other		
	subsoiler	free P&K	loosen topsoil	nematodes	disease	allelopathic	choke weeds	attract beneficials	bears traffic	short windows
NON LEGUMES Annual ryegrass <i>p. 74</i>	◐	◐	●	◐	◐	◐	●	◑	●	●
Barley <i>p. 77</i>	◐	◐	◑	◑	◐	◑	◑	◐	◐	●
Oats <i>p. 93</i>	○	◑	◑	○	◐	◑	●	○	◐	●
Rye <i>p. 98</i>	◑	◑	●	◐	◑	●	●	◑	◑	●
Wheat <i>p. 111</i>	◐	◑	◑	◑	◑	◑	◑	◑	◐	◐
Buckwheat <i>p. 90</i>	○	●	◑	◑	○	◑	●	●	○	●
Sorghum-sudangrass <i>p. 106</i>	●	◐	◐	◑	◑	●	●	◐	◐	●
BRASSICAS Mustards <i>p.81</i>	◑	◐	◑	◑	◑	◑	◑	◐	◐	◑
Radish <i>p. 81</i>	●	◑	◐	◑	◐	◑	●	◑	◑	◑
Rapeseed <i>p. 81</i>	◐	◑	◐	◑	◐	◑	◐	◐	◑	◐
LEGUMES Berseem clover <i>p. 118</i>	◑	◑	◑	○	○	◑	◑	◐	◑	◑
Cowpeas <i>p. 125</i>	◐	◐	◑	○	○	○	●	◑	○	●
Crimson clover <i>p. 130</i>	◑	◐	◐	◑	◐	◑	◐	◑	◑	◐
Field peas <i>p. 135</i>	◑	◑	◑	◐	◑	◑	◑	◑	◑	◑
Hairy vetch <i>p. 142</i>	◐	◐	◑	◑	◐	◐	◑	●	○	○
Medics <i>p. 152</i>	◐	◑	◑	◐	◐	◑	◑	◑	◑	●
Red clover <i>p. 159</i>	◑	◑	◐	◑	◑	◐	◐	◑	◐	◐
Subterranean clover <i>p. 164</i>	○	◑	◐	◑	◑	◑	●	◑	◑	◑
Sweetclovers <i>p. 171</i>	●	●	●	◑	◑	◑	◐	◑	◐	○
White clover <i>p. 179</i>	◑	◑	◑	○	○	◐	◑	◐	●	◐
Woollypod vetch <i>p. 185</i>	◑	◐	◑	◑	◑	◐	●	◑	◑	◐

○ = Poor; ◐ = Fair; ◑ = Good; ◒ = Very Good; ● = Excellent