

# Re-integrating cover crops, low-disturbance tillage and manure to build soil quality and health

Tim Harrigan

Biosystems and Agricultural Engineering  
Michigan State University

National Conference on Cover Crops and Soil Health  
Hilton Omaha Hotel, Omaha, Nebraska  
February 17-19, 2014



# Soil quality—physical characteristics

- Optimal structure for stand establishment and crop/root growth.
- Minimize wind or water erosion.
- Provide for water infiltration, drainage and aeration.
- Retain crop-available moisture.
- Maintain aggregate structure.

# Soil quality—biological functions

- Maintain balance of pests and pathogens.
- Mobilize nutrients when needed for crop growth, but minimize leaching loss.

# Manage the farming system to build soil quality

- Soil test (chemical balance).
- Low-disturbance tillage (physical balance).
- Traffic (physical balance).
- Cover crops (biological balance).
- Organic inputs (biological balance).
- Crop rotation (biological balance).

# Avoid the over-tillage trap

- Tillage is a fast way to increase pore space, infiltration and drainage.
  - But tillage induced pores are not stable, do not resist re-compaction
- Biological processes build soil quality, aggregation and tilth.
  - root growth
  - microbial activity
  - earthworm activity



# Enhance biological processes with organic inputs--manure and cover crops

- Increase
  - organic matter
  - water holding capacity
- Improve
  - aggregate stability
  - water infiltration
- Decrease
  - evaporation
  - soil bulk density





# Nitrogen cycling for corn production

- 8000+ acres
- Corn-beans-wheat
- Built a hog finishing facility for manure (soil quality).
- Integrated precision ag technologies
  - 20 years grid sampling
  - Many years VRA, including manure
- Attitude of experimentation





## 2010 Corn Crop

- Parkhill Loam soil
- Swine manure, 4,000 gpa
  - 43.4 lb/1000 gal (175 lbs total N)
  - 38.2 lb NH<sub>4</sub>-N (150 lbs)
  - 23.4 lb P<sub>2</sub>O<sub>5</sub>
  - 32.9 lb K<sub>2</sub>O
- Target N was 198#/ac
  - Manure N credit based on first year available NH<sub>4</sub>-N
  - Assume 30% loss



# Inject, air seed OSR



No manure



4,000 gpa swine slurry



## 2010 Corn Crop N

- 1. Check, no OSR, no manure 198# N
- 2. Drill OSR, no manure 198# N
- 3. AerWay manure, no OSR 92# N, 106# manure N?
- 4. Inject manure, no OSR 92# N, 106# manure N?
- 5. AerWay manure, OSR 54# N, 144# manure N?
- 6. Inject manure, OSR 54#N, 144# manure N?


Oil seed radish variety Colonel, 12 lb PLS/acre

Commercial N as 80% urea, 20% esn



# Corn Harvest, Sept. 9, 2010





## Observations...

- Oil seed radish is an excellent cover crop for **capturing** manure nitrogen.
- The challenge is to select a cover crop combination that will capture N and **release** it in synchrony with corn crop demand.
- Rate, timing, pathways of N loss are complex. Simple guidelines are likely to be wrong.
- Develop an attitude of experimentation and refine your nutrient management program.

